

**AXIAL GAP TYPE BRUSHLESS AXIAL-FLOW FAN MOTOR**

Patent Number: JP2000050604  
Publication date: 2000-02-18  
Inventor(s): SHIRAKI MANABU  
Applicant(s):: SHICOH ENG CO LTD  
Requested Patent: ☐ JP2000050604 (JP00050604)  
Application Number: JP19980223706 19980723  
Priority Number(s):  
IPC Classification: H02K29/00 ; H02K7/14 ; H02K21/24  
EC Classification:  
Equivalents:

---

**Abstract**

---

**PROBLEM TO BE SOLVED:** To obtain an axial gap type DC axial-flow fan motor which can reduce attractive force in the thrust direction, reduce axial load and reduce vibration, noise and a current value.


**SOLUTION:** A field magnet 5 which has P (P is an integer of one or larger) pairs of N and S poles is provided in a rotary fan 6, which has an impeller 9 blowing in an axial direction. A magnetically levitating singlepole permanent magnet 10, which is magnetized so as to have its N or S-pole oriented in the stator side direction, is provided on the inner circumference of the field magnet 5. A coreless stator armature 11, composed of (n) ((n) is an integer of one or larger) coreless armature coils 2 which are arranged on an armature coil mounting surface 3 facing the field magnet 5, is provided. Magnetically levitating permanent magnets 12 and 12' are provided on the stator side position where the coreless armature stator 11 is provided to have their polarities identical to the polarity of the magnetically levitating permanent magnet 10 which faces the magnetic levitation permanent magnet 10.

---


Data supplied from the esp@cenet database - I2

**BEST AVAILABLE COPY**


【圖1】




【圖2】



【圖3】




【圖4】




BEST AVAILABLE COPY

【図5】



【図6】



フロントページの続き

Fターム(参考) 5H019 AA04 AA06 AA09 BB01 BB05  
BB15 CC02 CC09 DD06 EE07  
EE16 FF00 FF01 FF03 GG01  
5H607 AA00 AA04 BB01 BB09 BB13  
CC01 CC05 CC07 FF04 GG01  
GG02 GG09 GG19 HH01 HH09  
5H621 BB07 GB03 HH01 JK13 JK14  
JK19 PP05

BEST AVAILABLE COPY